

CR series

CR-5130: 5 Mega Pixel Camera - Solid Fun



The CR-5130 compact digital camera is easy to use yet equipped with a series of advanced technologies. It gathers all features to take pictures in any situation since it has 8 different shooting modes from full automatic to full manual. It even supports special effect such as Sepia, Black and White or Vivid colour. The high resolution 5 mega pixel sensor will deliver high quality A3 prints. It also has a movie mode with sound recording and straight playback on the camera LCD screen but also directly on a PC or TV as all cables are included. The CR 5130 comes with a 64 MB SD card giving you a large storage capacity, up to 140 photos, a maximum picture resolution of 2560 x 1920, a 10 cm macro mode and a host of software applications making it one of the most powerful digital camera in its category

CR-6530: 6 Mega Pixel Camera - The Big Picture



Get the best of Acer with the stylish CR 6530 digital camera: it has all the quality you expect from a compact device accessible for beginners and experienced users. It delivers great pictures so easy to capture with the large 2,5 LCD screen or the handy optical finder. You will capture all important details for as close as 9 cm away with the Macro Mode. Shooting is easy thanks to scene program modes from full automatic to full manual. With the 6 mega pixels resolution, your pictures will make a tremendous effect even in A3 format. The CR 6530 comes with a 64 MB SD card for up to 140 photos or 6 minutes of video and a maximum picture resolution of 2816 x 2122.

CR-8530: 8 Mega Pixel Camera - Capture the moment



This stylish and great performing CR 8530 digital camera has all the quality you expect from a compact device. It is accessible for beginners and experienced users and delivers great pictures so easy to capture with the large 2,5 LCD screen or the handy optical finder. You will capture all important details for as close as 5 cm away with the Macro Mode. Shooting is easy thanks to scene program modes from full automatic to full manual. With the 8 mega pixels resolution, your pictures will make a tremendous effect even in A3 format. The CR 8530 also comes with a 64 MB SD card, leather cover and USB cables to connect to other devices

CR-5130

Standard Configuration

Sensor	CCD Sensor Type: 1/1.8" Total pixels: 2592 x 1944 (5.03MP) Effective Pixels: 2560 x 1920 (4.91MP)
Lens	Optical zoom: 3x Focus length: 7.2-21.6mm Shutter speed: Auto: 1/2s ~ 1/1500s Manual: 8s ~ 1/1500s
Image quality	Max resolution: 2560 x 1920 Digital zoom: Preview & capture: 4x Playback: 4x ISO Rating: Auto, 50, 100, 200 White Balance: Auto 2800~7000k manual: daylight cloudy, incandescent, fluorescent 1 & 2
Capturing condition	colour adjustment: 3 levels sharpness adjustment: 3 levels contrast adjustment: 3 levels
Strobe	Flash working distance: 0.6 -3.0M (ISO 200) Flash modes: auto, on, off, anti-red-eye strobe recharge time: 7 seconds
Viewfinder	Optical
LCD Screen	LCD Type: 1.5" TFT-LCD LCD Pixels: 134400 (560 x 240)
Memory	64MB SD card
Battery	Battery type: 1 x Rechargeable Lithium-Ion battery
Housing type	Aluminium
Dimensions and weight	Dimensions: 94 x 63 x 35 Weight: 210g
Bundled	64MB SD Card Case NTI Photosuite

5 Mega Pixel Camera - Solid Fun



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price
CR5130 5MP DSC, 3X Optical Zoom, 1.5" LCD, Li Battery, UK AC Adapter, Silver, 64Mb card included	AM.51303.005	GBP 99.00

CR series Digital Cameras

Pricelist
Valid from 01/02/2006



CR-6530

Standard Configuration

Sensor	CCD Sensor Type: 1/1.8" Total pixels: 2934 x 2167 (6.35MP) Effective pixels: 2864 x 2152 (6.16MP)
Lens	Optical zoom: 3x Focus length: 7.2~21.6mm Shutter speed: auto 1/2s~1/1500s manual: 8s~1/1500s
Image quality	Max resolution: 2816 x 2112 Digital zoom: preview and capture 4.4x Playback 4x ISO Rating: auto, 50, 100, 200 White balance: Auto: 3000-6500k Manual: daylight Cloudy, Incandescent, Flourescent 1& 2
Capturing condition	Colour adjustment: standard, vivid, sepia, monochrome Sharpness adjustment: 3 levels Contrast adjustment: 3 levels
Strobe	Flash modes: auto, on, off, anti-red-eye Strobe recharge time: 6 seconds
Viewfinder	Optical
LCD Screen	LCD Type: 2.5"LTFS TFT LCD LCD Pixels: 201,096 (882 x 228)
Memory	64MB SD Card
Battery	Battery type: 1 x Rechargeable Lithium-ion
Housing type	Aluminium
Video out	Yes
PC connection	Yes, USB 1.1 (full speed)
Dimensions & weight	Dimension: 94 x 63 x 35mm Weight: 210g
Bundled	64MB SD Card Case NTI Photosuite

6 Mega Pixel Camera - The Big Picture



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price
CR-6530 6MP DSC,3X Optical Zoom, 2.5"LCD,Li Battery,UK AC Adapter,Black, 64Mb SD card included	AM.65303.005	GBP 159.00

CR series Digital Cameras

Pricelist
Valid from 01/02/2006



CR-8530

Standard Configuration

Sensor	CCD Sensor Type 1/1.8" Total pixels: 3320 x 2496 (8.28MP)
Lens	Optical zoom 3x Focus length: 7.5 -22.5mm Shutter speed: 1/2s - 1/1500s
Image quality	Max resolution: 3264 x 2448 [7.99MP] Digital zoom: preview and capture 1-5.1x Playback: 2x, 4x ISO Rating: 50, 100, 200 White balance: manual, daylight, cloudy, tungsten, fluorescent 1 and 2, manual
Capturing condition	Sharpness adjustment: 3 levels Colour adjustment: standard, vivid, sepia, monochrome Contrast adjustment: 3 levels
Strobe	Strobe recharge time: 6 seconds Flash modes: auto, on, off, anti-red-eye
Viewfinder	Optical
LCD screen	LCD Type: 2.5"LTIPS TFT LCD
Memory	64MB SD Card
Battery	Battery type: 1 x Rechargeable Lithium-ion
Housing type	Aluminium
Video out	Yes
PC Connection	Yes, USB 2.0 Compliant (full speed)
Dimension & weight (without batteries and SD card)	Dimension: 91 x 57 x 27mm 150g
Shipped with the camera	64MB SD Card NTI Photosuite

8 Mega Pixel Camera - Capture the moment



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price
CR8530 CR-8530,8MP DSC,3X,2.5"LCD,Li Battery,UK AC Adapter,Black, 64Mb SD card included, Pictbridge compatible	AM.85303.001	GBP 199.00

CS series

CS-5530/CS-5531: 5 Mega Pixel Slim Compact Camera - Pocket Memories



CS-5530 – Acers lifestyle camera that fits in your pocket measures a svelte 89 x 55 mm (3.6 x 2.2 inches), yet features an eye-popping 2.5-inch LTPS TFT LCD screen. The 5-megapixel camera comes along with 1/2.5" CCD-Sensor, a 3x zoom and a 100-shot battery life. It is even able to capture full screen VGA (640x 480) video. After taking impressions of the whole world, just upload your pictures from the SD-Card to your PC or Notebook and share your pictures instantly with friends and family. Though twice the camera at half the size, you won't really want to put the cool aluminum back in your pocket!

Acer CS-5530

- Ultra stylish aluminum casing
- 1/2.5" 5.0 Megapixel CCD Sensor
- 3x optical lens with 4x digital zoom
- 2.5" LTPS TFT monitor · 64 MB SD-Card

CS-6530: Acer CS-6530 – Take the whole world in your pocket...



CS-6530 – Acers 6MP lifestyle camera that fits in your pocket measures a svelte 89 x 55 x 24 mm (3.6 x 2.2 x 1.0 inches), yet features an eye-popping 2.5-inch LTPS TFT LCD screen. The 6-megapixel camera comes along with 1/2.5" CCD-Sensor, a 3x zoom and a 100-shot battery life. It is even able to capture full screen VGA (640x 480) video. After taking impressions of the whole world, just upload your pictures from the SD-Card to your PC or Notebook and share your pictures instantly with friends and family. Though twice the camera at half the size, you won't really want to put the cool aluminum back in your pocket!

CS-5531: Acer CS-5531 – Take the whole world in your pocket...



CS-5531 – Acers lifestyle camera that fits in your pocket measures a svelte 89 x 55 mm (3.6 x 2.2 inches), yet features an eye-popping 2.5-inch LTPS TFT LCD screen. The 5-megapixel camera comes along with 1/2.5" CCD-Sensor, a 3x zoom and a 120-shot battery life. It is even able to capture full screen VGA (640x 480) video. After taking impressions of the whole world, just upload your pictures from the SD-Card to your PC or Notebook and share your pictures instantly with friends and family. Though twice the camera at half the size, you won't really want to put the cool aluminum back

in your pocket!

CS-5530/CS-5531

Standard Configuration

Sensor	1/2.5" CCD Sensor Total Pixels: 5.18MP Effective Pixels: 5.00MP
Lens	3x Optical Zoom Focus Length: 5.4~16.2mm Focus Range: Normal (Wide/Tele): 50cm ~ ∞ Macro (Wide): 6cm ~ ∞ Macro (Tele): 35cm ~ ∞
Image Quality	Max Resolution: 2560 x 1920 Digital Zoom: Preview & Capture: 3.6X Playback: 4X ISO Rating: Auto, 50, 100, 200 White Balance Auto: 3000~6500K Manual: Daylight, Cloudy, Incandescent, Fluorescent 1 & Fluorescent 2 File Format: JPEG (EXIF 2.2), DCF 1.0, DPOF 1.1 & AVI
Capturing Condition	Burst Mode: Single, Continuous(3 pic, 0.5 sec one step), AEB(3 pic, 0 EV, +0.67 EV, -0.67 EV, 0.5 sec one step) Color Adjustment: Standard, Vivid, Sephia, Monochrome Sharpness Adjustment: 3 levels Contrast Adjustment: 3 levels
Strobe	Flash Working Distance: Wide: 0.5~2.7M Tele: 0.5~2.4M Flash Modes: Auto, On, Off, Anti-Red-Eye Color Temperature(K): 6000±300
LCD Screen	2.5" LTPS TFT-LCD Pixels: 201,096 (882 x 228)
Memory	64 MB SD-Card
Capturing Scene Modes	Auto, Night, Manual
Battery	Rechargeable Lithium-ion Battery 100 Photos - 650mAh
Housing Type	Aluminium
PC Connection	USB 1.1 - Full Speed
Video Out	Yes
Dimension	89 x 55 x 24 mm
Weight	180 g

5 Mega Pixel Slim Compact Camera - Pocket Memories



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price	
CS-5530 5MP DSC, Compact, 3X Optical Zoom, 2.5" LCD, Li Battery, UK AC Adapter, Silver, 64Mb card included	AM.55303.005	GBP 149.00	
CS-5531 5MP DSC, Compact, 3X Optical Zoom, 2.5" LCD, Li Battery, UK AC Adapter, Silver, 16Mb Internal Memory, 64Mb card included, Pictbridge compatible	AM.55303.008	GBP 169.00	

CS series Digital Cameras

Pricelist
Valid from 01/02/2006



CS-6530

Standard Configuration

Sensor	1/2.5" CCD Sensor Total Pixels: 6.20MP Effective Pixels: 6.16MP
Lens	3x Optical Zoom Focus Length: 5.4~16.2mm (35 mm type: 32~96 mm) Focus Range: Normal (Wide/Tele): 50cm ~ ∞ Macro (Wide): 6cm ~ ∞ Macro (Tele): 35cm ~ ∞
Image Quality	Max Resolution: 2816 x 2112 Digital Zoom: Preview & Capture: 1~4.4X Playback: 2X, 4X ISO Rating: Auto, 50, 100, 200 White Balance: Auto, Daylight, Cloudy, Incandescent, Fluorescent 1, Fluorescent 2 & Manual File Format: JPEG(EXIF 2.2), DCF 1.0, DPOF 1.0, AVI Voice File Format: WAV(Voice Memo)
Capturing Condition	Burst Mode: Single, Continuous(5 pic, 0.6 sec one step), AEB(3 pic, 0 EV, +0.67 EV, -0.67 EV, 0.6 sec one step) Color Adjustment: Standard, Vivid, Sepia, Monochrome Sharpness Adjustment: 3 levels (Normal, Soft & Hard) Contrast Adjustment: 3 levels (Normal, Soft & Hard)
Strobe	Flash Working Distance: Wide: 0.5~2.1M Tele: 0.5~2.1M Flash Modes: Auto, On, Off, Anti-Red-Eye, Night Scene Color Temperature(K): 5800±300
LCD Screen	2.5" LTIPS TFT-LCD Pixels: 201,096 (882 x 228)
Memory	64 MB SD-Card
Video Recording	640 x 480
Capturing Scene Modes	Auto, Night, Manual
Battery	Rechargeable Lithium-ion Battery > 100 Photos - 650mAh
Housing Type	Aluminium
Connectivity	PC Connection: USB 2.0 Compliant (High Speed) Direct Print: PictBridge
Video Out	Yes
Dimension	89 x 55 x 24 mm
Weight	180 g

Acer CS-6530 – Take the whole world
in your pocket...



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price
CS-6530 (EMEA)	AM.65303.011	GBP 149.00

Acer UK Ltd. 2006. Acer reserves the right to alter product specifications and prices at any time and without prior notice. E and OE. All prices shown are excluding VAT, unless otherwise stated.

CS-5531

Standard Configuration

Sensor	1/2.5" CCD Sensor Total Pixels: 5.03MP Effective Pixels: 5.00MP
Lens	3x Optical Zoom Focus Length: 5.4~16.2mm (35 mm type: 32~96 mm) Focus Range: Normal (Wide/Tele): 50cm ~ ∞ Macro (Wide): 6cm ~ ∞ Macro (Tele): 35cm ~ ∞
Image Quality	Max Resolution: 2560 x 1920 Digital Zoom: Preview & Capture: 1~4X Playback: 2X, 4X ISO Rating: Auto, 50, 100, 200 White Balance Manual, Daylight, Cloudy, Tungsten, Sunset, Fluorescent File Format: JPEG(EXIF 2.2), DCF 1.0, DPOF 1.0, AVI & TIFF
Capturing Condition	Burst Mode: Single, Continuous(5 pic, 0.7 sec one step), AEB(3 pic, 0 EV, +0.67 EV, -0.67 EV, 0.7 sec one step) Color Adjustment: Standard, Sepia, Monochrome Sharpness Adjustment: 3 levels (Normal, Soft & Hard) Contrast Adjustment: 3 levels (Normal, Soft & Hard)
Strobe	Flash Working Distance: Wide: 0.6~2.5M Tele: 0.6~2.0M Flash Modes: Auto, On, Off, Anti-Red-Eye Color Temperature(K): 6000±500
LCD Screen	2.5" LTPS TFT-LCD Pixels: 201,096 (882 x 228)
Memory	Internal: 16 MB External: 64 MB SD-Card *) (possible up to 512 MB) *) may vary in countries
Video Recording	640 x 480 @ 30 fps
Capturing Scene Modes	Auto, Backlight, Night, Portrait, Landscape, Sports, Macro
Battery	Rechargeable Lithium-ion Battery > 120 Photos - 650mAh
Housing Type	Aluminium
Connectivity	PC Connection: USB 2.0 Compliant (High Speed) Direct Print: PictBridge
Video Out	Yes
Dimension	89 x 55 x 24 mm
Weight	180 g

**Acer CS-5531 – Take the whole world
in your pocket...**



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price
CS-5531	AM.55303.008	GBP 169.00

CE series

CE-5330: CE-5330: Perfect pictures, priceless value



The CE-5330 is the latest edition to the Acer digital camera range and brings performance at a very affordable price. Even despite an aggressively low price, this comes equipped with a 2.0" screen, 5MP CCD Sensor and 3x optical zoom. The CE-5330 is also light and compact. The CE-5330 also supports 8 exposure modes, 6 AWB modes, 4 flash modes and supports macro mode of 6cm. The CE-5330 comes with manual and usb cable for connecting to other devices.

CE series Digital Cameras

Pricelist
Valid from 01/02/2006



CE-5330

Standard Configuration

Sensor	CCD Sensor 1/2.5" Total pixels: 2654 x 1955 (5.18MP)
Lens	Optical zoom: 3x Focus length: 5.4 - 16.2mm Shutter speed: 1/2s - 1/1000s
Image quality	Max resolution: 2560 x 1920 (4.92MP) Digital zoom: preview and capture 1-4x Playback: 1x -4x ISO Rating: 50, 100, 200 White balance: auto, daylight, sunset, cloudy, tungsten, fluorescent
Capturing condition	Sharpness adjustment: 3 levels Colour adjustment: full colour, BW, sepia
Strobe	Strobe recharge time: 6-7 seconds Flash modes: auto, on, off, anti red-eye
Viewfinder	Optical
LCD Screen	LCD Type: 2.0"LTOS TFT LCD
Memory	16MB (12MB for storage)
Battery	2 x AA NiMH Rechargeable batteries
Video out	Yes
PC Connection	USB 2.0
Dimension and weight	Dimension: 91 x 61 x 27 130g (without batteries)

CE-5330: Perfect pictures, priceless value



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price
CE-5330 5 Megapixel "Real", Sharp CCD 1/2.5" supporting resolution 2584 x 1936, Optical Zoom 3x, Digital Zoom 4x, TFT LCD Panel 2.0", Plastic housing, 2 x AA Rechargeable battery, SD compatible (up to 512MB), 16MB Internal Memory, Nylon Case, 3 Scene Modes, 6cm macro mode, Flash (Auto, on, off, Red Eye), Pictbridge Compatible, Capable Movie recording, USB port and cable, TV Cable, weight 130 gr.	AM.53303.005	GBP 89.00

CI series

CI-6330: Solid Fun



The CI-6330 compact digital camera is power at an affordable price. It has all the quality you expect from a compact device accessible for beginners and experienced users, and incorporates some very advanced technologies. With aluminium housing the CI-6330 is also built with the highest quality housing materials. The high resolution 6 mega pixel sensor will deliver high quality A3 prints. To mention just some of the other great technologies 3x optical zoom, 2.0" LTPS TFT panel, USB 2.0 interface for fastest possible transfer to an external device, Pictbridge.. The CI-6330 supports 8 shooting modes including movie mode with sound recording and supports straight playback on the camera LCD screen as well as directly on a PC or TV as all cables are included. The CI-6330 comes with 16MB ROM internal memory of 12MB is useable which the user can easily increase memory by purchasing standard SD cards.

CI series Digital Cameras

Pricelist
Valid from 01/02/2006



CI-6330

Standard Configuration

Sensor	CCD Sensor Type: 1/1.8" Total pixels: 2872 x 2160 (6.2MP)
Lens	Optical zoom: 3x Focus length: 7.5 - 22.5mm Shutter speed: 1s~1/1000s
Image quality	Max resolution: 2816 x 2112 (6.08MP) Digital zoom: preview and capture 1-4x Playback: 1x - 4x ISO Rating: 50,100, 200 White balance: auto, daylight, cloudy, tungsten, fluorescent
Capturing condition	Sharpness adjustment: 3 levels Colour adjustment: full colour, BW & Sepia
Strobe	Strobe recharge time: 6 seconds Flash modes: auto, anti red-eye, off
Viewfinder	Optical
LCD Screen	LCD Type: 2.0"LTIPS TFT LCD
Memory	16MB (12MB for storage) Can be expanded by adding SD cards
Battery	2 x AA NiMH batteries (some configurations will include rechargeable batteries)
Video out	Yes
PC Connection	USB 2.0 (Full speed) Pictbridge PC to camera cable
Dimension and weight	Dimensions: 91 x 61 x 31.5mm 160g (without batteries)
Warranty	2 years carry-in

Solid Fun



Product models and specifications may vary depending on country.
Please contact your local Acer office.

Model	Part Number	Price	
CI-6330 Solid Fun 6 Megapixel "Real", Sharp CCD 1/1.8" supporting resolution 2864 x 2152, Optical Zoom 3x, Digital Zoom 4x, TFT LCD Panel 2.0", Aluminium housing, Alka battery, w/o SD Card, Nylon Case, 8 Scene Modes, 9 cm macro mode, Flash (Auto, on, off, Red Eye), Capable Movie recording, USB port and cable, TV Cable. 2 Year Warranty	AM.63303.005	GBP 159.00	New